



LIFTING GEAR
HIRE & SALES

**COMPRESSED
AIR HIRE**



Portable air compressors

XAS 185_{JD7} HardHatTM



All the options you need for your specific applications



The Hardhat features a revolutionary polyethylene canopy design - the toughest in the industry. It will not rust, dent, corrode or fade, and it resists extreme temperatures. The canopy protects the compressor from damage at the worksite, which helps reduce the cost of ownership and boost resale value. Because it can “take a beating” in a variety of applications, it's ideal for the rental industry.

- Extremely reliable 49 HP John Deere engine (EPA CARB-compliant)
- The most efficient air end in the compressor industry
- Control panel conveniently located at waist level
- Discharge valves on the same end as control panel
- Easy access to filters and the oil separator tank
- Road lights standard
- Guaranteed 185 CFM
- Extremely durable body
- Removable baffle for easy cleaning
- Award-winning design



reddot design award
winner 2006



Technical Specifications



| Model Compressor | | XAS 185 JD7 |
|------------------------------------|-----------|-------------------------|
| Normal effective working pressure | 100 PSI | 7 Bar |
| Maximum unloading working pressure | 125 PSI | 8.6 Bar |
| Actual free air delivery | 185 CFM | 87.3 L/S / 5.24 M3/min. |
| Cooling system | (Air/Oil) | |
| Oil Capacity | 2 Gal | 7.6 Liters |

| Engine/John Deere | | |
|--------------------------------|--------------------------|-------------|
| Model number | 4024TF281 Interim Tier 4 | |
| Cooling system | Water | |
| Number of cylinders | 4 | |
| Capacity of oil sump (approx.) | 2 Gallons | 7.6 Liters |
| Capacity of fuel tank | 25 Gallons | 83.3 Liters |
| Speed-maximum loaded | 2750 RPM | |
| Speed-unloaded | 1600 RPM | |
| Horsepower | 49 BHP | 36.5 kW |

| Unit Dimensions | | |
|------------------------------|-----------|---------|
| Overall length-wheel mounted | 127 in. | 3226 mm |
| Overall height-wheel mounted | 61 in. | 1549 mm |
| Overall width-wheel mounted | 64 in. | 1626 mm |
| Weight dry-wheel mounted | 2170 lbs. | 986 k |
| Weight wet-wheel mounted | 2330 lbs. | 1059 k |



PH: (08) 9437 2312

sales@liftinggearhire.com.au

liftinggearhire.com.au